				· Ph	F-IDC
QUERY CONTR	OL FORM			RTIS U	SE ONLY
Application No.	09/934,791	Prepared by	NAB	Tracking Number	05907057
Examiner-GAU	1P - 2828	Date	6/11/04	Week Date	2/16/04
		No. of queries		IPW	

JACKET									
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449						
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b						
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract						
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs						
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other						

SPECIFICATION	MESSAGE
a. Page Missing	Original claim 32 is concelled on claim
b. Text Continuity	pages dated oilzofo4, but allowed in NOA and
c. Holes through Data	index of claims.
d. Other Missing Text	, , , , , , , , , , , , , , , , , , , ,
e. Illegible Text	please advise renumber the claims in the index
f. Duplicate Text	if hecessary.
g. Brief Description	
h. Sequence Listing	
i. Appendix	
j. Amendments	
k. Other	
	Humleyou
CLAIMS	- Juniary Control of the Control of
a. Claim(s) Missing	
b. Improper Dependency	
c. Duplicate Numbers	
d. Incorrect Numbering	initials 9113,
e. Index Disagrees	RESPONSE
f. Punctuation	
g. Amendments	
h. Bracketing	
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials

11-20-03 12:27pm From-Greenberg

+3105687940

T-335 P.008/012 F-814

Serial No. 09/934,791

Docket No. 58027-012900

Claim 26 (previously amended): The method according to claim 19, further including undoped DBRs.

Claim 27 (currently amended): The method according to claim 16, further offering wherein the VCSEL to exhibits continuous wave operation at temperatures greater than about 80 degrees Celsius.

Claim 28 (previously amended): The method according to claim 20, further including an n-type InP and p-type InAlAs in the tunnel junction.

Claim 29 (currently amended): The method according to claim 16, further providing a thickness of about 1-3\(\text{times}\) times the optical wavelength to each of the heat spreading layers.

Claim 30 (cancelled)

Claim 31 (currently amended): A vertical-cavity surface-emitting laser (VCSEL) operating at a reduced temperature, the VCSEL comprising:

- a first and a second reflecting surfaces in a VCSEL; an active layer in the VCSEL;
- a first and a second thermally conductive InP heat spreading layers in the VCSEL, said first heat spreading layer being in between the first reflecting surface and the active layer, and the second heat spreading layer being in between the second reflecting surface and the active layer; and

an at least one metal contact adjacent the first thermally conductive InP heat spreading layer for permitting current to be jujected through the at least one InP heat spreading layer, the current bypassing the first reflecting surface; and

the first and second heat spreading layers allowing heat generated in the VCSEL to bypass the first and second reflecting surfaces due to the higher thermal conductivity of the first and second heat spreading layers relative to the first and a second reflecting surfaces, thereby reducing the temperature of the VCSEL.

Claim 32 (cancelled)

Issue Classification

Applicati n No.	Applicant(s)	
09/934,791	COLDREN ET AL.	
Examiner	Art Unit	
Phillip Nauven	2828	

CLASS SUBCLASS CLASS SUBCLASS (ONE SUBCLASS PER BLOCK)	•	CROSS REFERENCE(S)											
INTERNATIONAL CLASSIFICATION H	CLASS	SS CLASS SUBCLASS (ONE SUBCLASS PER	SUBCLASS (ONE SUBCLASS PER BLOCK)										
H 0 1 S 3/08 H 0 1 S 5/00	372	372 46	46										
H 0 1 S 5/00 / / / / / / / / / / / / / / / / /	NTERNATIO	ATION											
	0 1	8											
	0 1	0											
P. 190													
P. 190													
P. 190	1												
Phillip Nguyen 01/02/2004 (Assistant Examiner) (Date) Author Au	Phillip (Ass		Total Claims Allowed: 32										

Legal Instruments Examiner) (Date)

TECHNOLOGY CENTER 2800

Print Claim(s) Print Fig. 1

	Claims renumbered in the same order as presented by applicant						☐ CPA		□ T.D.			☐ R.1.47							
Final	Original		Final	Original	:	Final	Original		Final	Original		Final	Original	:	Final	Original		Final	Original
1	1		29	31			61			91			121			151			181
2	2		30	32			62			92			122			152			182
3	3		31	33			63			93			123			153			183
4	4		32	34			64			94	·		124	٠.		154			184
5	_ 5			35			65			9 5	. ' '		125			155			185
6	6	ľ		36			66			96	·		126	·		156			186
7	7			37			67			97			127			157			187
8	8	·		38	1		68			98			128			158			188
9	9			39			69			99	,		129			159			189
10	10			40	. •		70			100	•		130			160			190
11	11			41			71			101			131			161			191
12	12			42			72			102			132			162			192
13	13			43			73			103			133			163			193
_14	14			44			74			104			134			164			194
	15			45			75			105	Ì		135			165			195
15	16			46	•		76			106			136			166			196
16	17	,		47			77			107			137			167			197
17	18			48			78			108			138			168			198
18	19			49			79			109			139			169			199
19	20	·		50			80			110			140			170			200
20	21			51			81			111			141			171			201
21	22			52	-		82			112			142			172			202
22	23			_53			83			113			143			173			203
23	24			54	. [84			114			144	.		174			204
24	25			55			85			115	1		145	j		175			205
25	26	·		56	٠.		86			116	Ì		146			176			206
26	27			57			87			117	Ì		147			177			207
27	28			58			88			118			148			178			208
28	29	. [59	:		89	Ì		119			149			179			209
	20	1		en	1		20		\dashv	400	ł	-	450			400			-242